

BETA LACTAM DRY SYRUP

| S. No. | Generic Name & Dosage Form | Composition | Ph. Ref | Strength. | Unit |
|--------|---|--|---------|-----------|------|
| | Amoxicillin | Each 5ml of reconstituted suspension contains: | | | |
| 6. | Oral Suspension | Amoxycillin Trihydrate | IP | | |
| | IP | Eq. to Amoxycillin | | 125 | mg |
| | | Excipients | | q.s. | |
| | | In flavoured syrupy base | | | |
| | | Approved colour used | | | |
| | Amoxycillin & Sulbactam Oral Suspension | Each 5ml of reconstituted suspension contains: | | | |
| 10. | | Amoxycillin Trihydrate | IP | | |
| | | Eq. to Amoxycillin | | 250 | mg |
| | | Sulbactam Pivoxil | | | |
| | | Eq. to Sulbactam | | 250 | mg |
| | | Excipients | | q.s. | |
| | | Approved colour used | | | |

CEPHA DRY SYRUP

| | | | | | |
|----|---|--|-----|-------|----|
| | Cefpodoxime Proxetil | Each 5ml of reconstituted suspension contains: | | | |
| 1. | Oral Suspension | Cefpodoxime Proxetil | IP | | |
| | IP | Eq. to Anhydrous Cefpodoxime | | 100 | mg |
| | | Excipients | | q.s. | |
| | | In flavoured syrupy base | | | |
| | | Approved colour used | | | |
| | Cefpodoxime Proxetil & Clavulanic Acid | Each 5ml of reconstituted suspension contains: | | | |
| 2. | Oral Suspension | Cefpodoxime Proxetil | IP | | |
| | | Eq. to Anhydrous Cefpodoxime | | 50 | mg |
| | | Potassium Clavulanate | IP | | |
| | | Eq.. To Clavulanic Acid | | 31.25 | mg |
| | | Excipients | | q.s. | |
| | | In flavoured syrupy base | | | |
| | | Approved colour used | | | |
| | Cefixime | Each 5ml of reconstituted suspension contains: | | | |
| 3. | Oral Suspension | Cefixime | IP | | |
| | IP | Eq. to Anhydrous Cefixime | | 50 | mg |
| | | Excipients | | q.s. | |
| | | In flavoured syrupy base | | | |
| | | Approved colour used | | | |
| | Cefixime | Each 5ml of reconstituted suspension contains: | | | |
| 4. | Oral Suspension | Cefixime | IP | | |
| | IP | Eq. to Anhydrous Cefixime | | 100 | mg |
| | | Excipients | | q.s. | |
| | | In flavoured syrupy base | | | |
| | | Approved colour used | | | |
| | Cefixime & Clavulanic Acid | Each 5ml of reconstituted suspension contains: | | | |
| 5. | Oral Suspension | Cefixime | IP | | |
| | IP | Eq. to Anhydrous Cefixime | | 50 | mg |
| | | Potassium Clavulanate | IP | | |
| | | Eq.. To Clavulanic Acid | | 31.25 | mg |
| | | Excipients | | q.s. | |
| | | In flavoured syrupy base | | | |
| | | Approved colour used | | | |
| | Cefixime | Each ml of reconstituted suspension contains: | | | |
| 7. | Oral Suspension | Cefixime | IP | | |
| | IP | Eq. to Anhydrous Cefixime | | 25 | mg |
| | | Excipients | | q.s. | |
| | | In flavoured syrupy base | | | |
| | | Approved colour used | | | |
| | Cefpodoxime Proxetil | Each ml of reconstituted suspension contains: | | | |
| 8. | Oral Suspension | Cefpodoxime Proxetil | IP | | |
| | IP | Eq. to Anhydrous Cefpodoxime | | 25 | mg |
| | | Excipients | | q.s. | |
| | | In flavoured syrupy base | | | |
| | | Approved colour used | | | |
| | Cefuroxime Axetil for oral suspension USP | Each 5ml of reconstituted suspension contains: | | | |
| 9. | | Cefuroxime Axetil | USP | | |
| | | Eq. to Cefuroxime | | 125 | mg |
| | | Excipients | | q.s. | |
| | | In flavoured syrupy base | | | |
| | | Approved colour used | | | |

NON- BETA LACTAM DRY SYRUP

| | | | | | |
|-----|---|---|----|------|----|
| | Artemether & Lumefantrine Oral Suspension | Each 5ml of the reconstituted suspension contains | | | |
| 11. | | Artemether | IP | 20 | mg |
| | | Lumefantrine | | 120 | mg |
| | | In flavoured syrupy base | | | |
| | | Excipients | | q.s. | |
| | | Approved colour used | | | |
| | Artemether & Lumefantrine Oral Suspension | Each 5ml of the reconstituted suspension contains | | | |
| 12. | | Artemether | IP | 40 | mg |
| | | Lumefantrine | | 240 | mg |
| | | In flavoured syrupy base | | | |
| | | Excipients | | q.s. | |
| | | Approved colour used | | | |
| | Artemether & Lumefantrine Oral Suspension | Each 5ml of the reconstituted suspension contains | | | |
| 13. | | Artemether | IP | 80 | mg |
| | | Lumefantrine | | 480 | mg |
| | | In flavoured syrupy base | | | |
| | | Excipients | | q.s. | |
| | | Approved colour used | | | |